

101











Figure 3











Figure 7






Figure 9

PLIAnthmethtType ⊗mode ModeValues

Shyh-Mei F. Ho, et al. SVL920010035US1 10/18

Figure 10

PLIPackedType Oprecision Integer Oprecision Integer

DASKSBIE ISSILI

TDLangElement (from TDLang) dataltem

*

.

+dataltem 1..1

PlatformCompilerType


(from TypeDescnptor)

SplatformCompilerType: String

Figure 11

$\mathcal{C}_{\mathcal{I}}$
$\overline{}$
Figure

v	brtModePad	⊘rmode16	Jmode24	Ømode31	, pmode32	- √mode64	√gmode128		
< <enumeration>></enumeration>	packedDecimalSign	¿MVS	&MVSQ.stom	♦NT OS2 AIX					
< <enumeration>></enumeration>	accessor				&NoAccess				
< <enumeration>></enumeration>	float Type	©Uspecified	ØIEEEextendedIntel	ØIEEEexterxledAIX	@IEEEextended0S390		:ØIEEEnonextended	×3-lOSQHBI¢**	XIBMODIEX
< <enumeration>></enumeration>	lengthEncoding	- Sixed and h	Senath Profixed	(and Temnated	,				
< <enumeration>></enumeration>	signCoding	@twosComplement	&cnesComplement	SignWagnitude Anull Terminated	Spenesigns	@packedSigns	:@unsignedBinary	<i>"</i> @unsignedDecimal	



Shyh-Mei F. Ho, et al. SVL920010035US1 14/18

TDLargElement (from TDLang)	COBOLEIement COBOLEIementInitialValue (from obbol) (from
	COBOLEIement (from cobol) colore : String colored: Boolean = 1
Thanganposedflype (from Thang)	COBOLComposed Type (from cobol)
TDLangClassifier (from TDLang)	<i>COBOLClassifier</i> (fromodbol) ₩Trpedef: boolean

Figure 14

Shyh-Mei F. Ho, et al. SVL920010035US1 15/18

< <enumeration>></enumeration>	< <enumeration>></enumeration>
COBOLUsageValues	COBOLInitialValueKind
≅obinary	⊗string_value
Sqpcs square	Sow_value
eldonop	🎇 🍎 high_value
dis play	ozero_value
and the second s	ganotes
Sindex	null supplies
SobjectReference	🌣 all_literal
🎨 packed Decimal	
pointer	
SpringedurePointer	

Figure 15

Shyh-Mei F. Ho, et al. SVL920010035US1 16/18

